


AD A 039304

BRL



REPORT NO. 1979

AN APPLICATION OF CREATABASE: A MODULE OF AN INTEGRATED DATA BASE ANALYSIS SYSTEM

Morton A. Hirschberg

**April 1977** 

Approved for public release; distribution unlimited.



USA ARMAMENT RESEARCH AND DEVELOPMENT COMMAND USA BALLISTIC RESEARCH LABORATORY ABERDEEN PROVING GROUND, MARYLAND

Destroy this report when it is no longer needed. Do not return it to the originator.

Secondary distribution of this report by originating or sponsoring activity is prohibited.

Additional copies of this report may be obtained from the National Technical Information Service, U.S. Department of Commerce, Springfield, Virginia 22151.

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The use of trade names or manufacturers' names in this report does not constitute indorsement of any commercial product.

UNCLASSIFIED

	PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION N	O. 3. RECIPIENT'S CATALOG NUMBER
BRL REPORT NO. 1979		
TITLE (and Submitte)	The second secon	5. TYPE OF REPORT & PERIOD COVERE
- TITLE ( and Submite)		3. THE OF REPORT & PERIOD COVERE
AN APPLICATION OF CREATABASE: A	MODULE OF AN	
INTEGRATED DATA BASE ANALYSIS SYS		6. PERFORMING ORG. REPORT NUMBER
	21	S. PERFORMING ONG. REPORT NUMBER
2 AUTHOR(a)		8. CONTRACT OR GRANT NUMBER(*)
	HH	
MORTON A. HIRSCHBERG	or 771	(F)
= = =   9		(16)
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TAS
USA Ballistic Research Laboratory		
Aberdeen Proving Ground, MD 21005		RDT&E 1T161101A91A
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
US Army Materiel Development & Re	adiness Command	APRIL 1977
5001 Eisenhower Avenue		13. NUMBER OF PAGES
Alexandria, VA 22333		24
14. MONITORING AGENCY NAME & ADDRESS(If differen	nt from Controlling Office	15. SECURITY CLASS. (of this report)
(11) 2 d		H-1
19 200		Unclassified
0,177		154. DECLASSIFICATION/DOWNGRADING
16. DISTRIBUTION STATEMENT (of this Report)		
Approved for public release; dist	ribution unlimi	ted.
Approved for public release; dist	9]	
(19) BRL-197	9]	
14) BRL-197  17. DISTRIBUSION STATEMENT (OF INS BESTRACT SHIPPED)	In Block 20, If different	from Report)  nagement Data Structures alysis Query Language ing CREATABASE ata Base
19. KEY WORDS (Continue on reverse elde if necessary a Integrated Data Base Management Automatic Storage Retrieval Integrated Data Base Analysis Data Storage Retrieval	and identify by block numb Data Base Mai Data Base Ani Data Process Relational Di Nonprocedura	from Report)  algement Data Structures alysis Query Language ing CREATABASE ata Base Language

DD | FORM 1473 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered

# TABLE OF CONTENTS

		Page
I.	INTRODUCTION	5
II.	CREATABASE	6
III.	THE DATA BASE	10
IV.	COMMANDS USED IN APPENDIX I	11
ν.	DISCUSSION	12
	ACKNOWLEDGEMENT	13
	REFERENCES	14
	APPENDIX I	15
	DISTRIBUTION LIST	23

COESSIBN for	White Section
90C	Butt Section D
MANNOUNCER	
JUSTIFICATION	
BY	ON CAVALLABILITY CODES
DISTRIBUTIO	ON/AVAILABILITY CODES
	OR/AVAILABILITY CODES AVAIL and/or special
DISTRIBUTION DIST.	ON/AVAILABILITY CODES
	ON AVAILABILITY CODES
	ON/AVAILABILITY CODES

#### I. INTRODUCTION

This paper briefly describes a relational data base analysis system, 1 CREATABASE, 2,3,4,5 and presents an example of an actual data base. References 2, 3, and 4 when taken together form a complete but terse set of systems documents. A clearer exposition of the system is planned for the near future. The terms data base management and information retrieval systems, as well as other terms describing nearly identical operations or procedures, are in fact defined differently. The user or prospective user of such systems does not usually perceive any difference between these terms and uses them interchangeably. This may be because the operations performed by these systems usually include entry of data into the system, updating and/or correction of data, retrieval and display of data, and to varying degrees manipulation of data.

Notice that the word data was used in the last sentence, and not the word information. Here we must be precise. In general, data itself possesses no information; information is derived from data through a set of manipulations. In some instances, as in the case of a report abstract, the data, which is the abstract itself, does possess information.

Date, C.J., An Introduction to Data Base Systems, Reading, Mass., Addison-Wesley, 1976.

Daniel Analytical Services Corporation, User Reference Manual for "The CREATABASE Module" of An Integrated Data Base Analysis System: Level U-4A, Houston, Texas, August 1976.

Daniel Analytical Services Corporation, "Primer" for "The CREATABASE Module" of An Integrated Data Base Analysis System: Level U-4A, Houston, Texas, August 1976.

Daniel Analytical Services Corporation, An Illustrative Check Deck for "The CREATABASE Module" of An Integrated Data Base Analysis System: Level U-4A, Houston, Texas, August 1976.

<sup>&</sup>lt;sup>5</sup> Goldberg, S.A., Final Report of the EDMPAS Committee, Edgewood Arsenal, Aberdeen Proving Ground, Maryland 21010, September 1975.

<sup>&</sup>lt;sup>6</sup> SIPPL, C.J., & SIPPL, C.P., <u>Computer Dictionary and Handbook</u>, New York, Bobbs-Merrill, 1972.

CREATABASE is a true relational data base system. Using it, one can derive information from data. The language of CREATABASE is essentially natural English; CREATABASE allows a full Boolean query capability. We must note that, while the discussion here centers primarily on data, the bulk of the literature concerns itself with information as opposed to data no matter what title a piece of literature bears. Reference 7 is typical of the many references on information retrieval and examines the subject in all of its facets; it includes many useful references and is worth reading.

Figure 1 shows the relationship of data to information and ultimately to a decision or prediction, the ultimate goals of engineering and science.

#### II. CREATABASE

The CREATABASE module is a part of an integrated data base analysis system written by the Gulf Universities Research Consortium and marketed by Daniel Analytical Services Corporation of Houston, Texas.

CREATABASE contains 56 instructions which fall into seven command categories (see Figure 2): general, definition, compilation, modification, selective retrieval, subset binary and printout. Of these, all are self-explanatory except for the subset binary commands. Subset binary commands allow all or any portion of the data base to be written onto a file for further processing by the user. A subset binary file may also serve as input to CREATABASE. The subset binary feature allows the crucial step between selective retrieval and manipulation of data to occur (Figure 3).

CREATABASE is written in FORTRAN and the reference version operates on the UNIVAC 1100 series computers.

Doyle, L.B., <u>Information Retrieval and Processing</u>, Los Angeles, Melville, 1975.

Pierce, P.W. (ed.), Benchmark Data Base Evaluation of Vendor Developed Data Base Management Systems for DARCOM Data Processing Community, DARCOM-ALMSA, 1976.




Figure 1. The Relationship of Data to Information and Ultimately to a Decision or Prediction




Figure 2. CREATABASE Command Structure




Figure 3. The Data Analysis Process or the Design Process

The basic features of CREATABASE are a vertical storage scheme which allows rapid querying (using only logical arithmetic - complement, and, and or), a wide repertoire of instructions, full Boolean query capability, a full cross-referencing wherein the dictionary and the instructions occupy only a small percentage of fast storage, and a compression of data into as small a space as possible (using bit logic). CREATABASE gives the appearance of having inverted files without actually having inverted files. CREATABASE is best described as a universal system for the acceptance of data.

CREATABASE is exceptionally good for handling numeric data as opposed to textual data; however, it handles textual data well when that data is analyzable (not titles or abstracts). It is a system well suited for use by scientists and engineers. All numbers are stored as integers. CREATABASE has a natural language query and is comfortable to use.

CREATABASE does not allow an array of numbers to be input through the use of a single descriptor. It has only a rudimentary report generation capability and this through the "Subset Binary" command procedure.

### III. THE DATA BASE

A complete listing of the commands and a sample of the data that comprise the data base appear in Appendix I.

The data base was formed using the following sixteen descriptors.

ITM1	ITM5	ITM9	ENDNO
ITM2	ITM6	ITM10	NAMES
ITM3	ITM7	SEQNO	TOTAL EXPOSURE
ITM4	ITM8	BEGNO	TOTAL TIME

All descriptors were numeric except for NAMES which was alphanumeric and represents the names of the 31 tests which were conducted at Aberdeen Proving Ground. The data base consisted of approximately 10,000 items.

The data base was constructed by defining the first ten descriptors, ITM1 - ITM10, reading cards with these data, and finally using the SEQUENCE and CORRECTION commands to append the rest of the data to the appropriate test. Appended data consisted of data for the SEQNO, BEGNO, ENDNO, NAMES, TOTAL EXPOSURE and TOTAL TIME descriptors.

One will observe that data items appearing in Appendix I are separated by commas and all commands and data are ended by an asterisk. These are the normal separators and terminators of CREATABASE. The less than symbol (<) is used to tell CREATABASE to complete a record with the value "unknown" (on the Univac this state is represented by all bits on or - 0). Commas without data between them also signify that datum falling between the commas was "unknown".

The data on the cards defined by descriptors ITM1 - ITM10 are observations. Because there is no array capability in CREATABASE, ten separate descriptors were defined; however, a standard set of queries can be generated to minimize the length of a query and repetition of descriptor names. This is the only drawback to the system that the author has observed. Addition of a comprehensive descriptor to the language will correct this feature.

The data base is now ready to be queried or manipulated.

The data base shown in this report took one day to implement once the data was on cards. That is, the design of the data base, punching the commands, and entering the commands and data into the computer were accomplished in a single day. The machine cost, including several test queries, was under five dollars.

#### IV. COMMANDS USED IN APPENDIX I

The building of the data base can be done using very few of the CREATABASE commands. The data base described in Section III was built using just eight commands. These commands will now be discussed.

The PARAMETER command is used to adjust core allocation. F and G size the compressed file, the file where the data are stored. F represents the number of bits the descriptors occupy (words - the down direction) and G represents the number of records which will be in memory at one time (bits - the across direction).

The DEFINE DESCRIPTORS command sets the specification of the descriptors or dictionary entries which the user wishes to define. A FROM-TO descriptor is a descriptor whose values are numbers satisfying the specified range. The DEFINE DESCRIPTOR and DEFINE MORE DESCRIPTORS statements consist of several parts: the name of the descriptor, a sequence number, a type, a range, and a label. There are three types of descriptors: FROM-TO, CODE, and NAME. The latter two types are for alphanumeric names which are known in advanced (CODE) and which are anticipated but not known in advance (NAME). Where an "=" is used as in the case of descriptors 2-10, it means that the descriptor will share the same descriptor attributes (dictionary entries) as a previously described descriptor. Here, descriptors 2-10 have the same range of values as descriptor 1. There are no labels used in this data base.

The WRITE DATA FILE command saves the latest version of the descriptors and descriptor attributes (if any) on the files specified by the user. This statement causes the system to produce a summary of the core allocation used so far.

The COMPILE (AND PRINT) FROM CARDS command causes input data to be read (and printed) and the data file to be built.

The data as described in Section III appear next, and represent one of the 31 tests. The complete test data were entered on 1056 cards and a statement to that effect is printed. The @EOF terminates the reading of data.

The DEFINE MORE DESCRIPTORS command has been covered above.

The SEQUENCE command generates a sequence number for all the records in the data base (compressed file) and stores it in the selected FROM-TO type descriptor (SEQN $\emptyset$ ).

The CORRECTION command allows the user to access any data entry and alter it as specified. In the current usage the command is used to enter data instead of altering it. The form of the command consists of descriptor-descriptor attribute pairs followed by a Boolean expression identifying which records are to be modified. Three examples of the correction command are shown. At this point, the data base has been constructed and is ready for querying or manipulation.

The END command terminates the CREATABASE run and transfers control to the computer's operating system.

#### V. DISCUSSION

The analysis of data is a difficult and often exasperating task. Since it is easier to collect data than to analyze it, we find ourselves inundated with data. In fact, the design of data bases and the possible uses of data have become entities in themselves, rather than the uses of data. The latter involves theorizing so that a prediction or decision can be reached.

In many instances retrieval programs do not exist where they are sorely needed. Reference 9 is an excellent paper clearly showing that massive amounts of data lie unused. The author feels that CREATABASE is the answer to the problems which concern large amounts of numeric data (i.e., problems which seem prevalent in the Army). As a bonus, CREATABASE has been found to handle alphanumeric data very well too! Such applications will be described in future papers.

Yarborough, B.H., Methodology Investigation Development of a Data Storage and Retrieval System, Programs, and Techniques for ADP Reporting of Repetitive Tests, MTD, Aberdeen Proving Ground, Maryland, AD B007378L, April 1975.

The analysis of even relatively small amounts of data can produce fruitful results. This has been demonstrated in fields as diverse as contract  $bridge^{10}$  and the social sciences. We must do the same in the physical sciences.

To date, CREATABASE has been a highly effective tool for capturing data, organizing data, and deriving information from data. It is hoped that it will be used more widely in the future. Finally, we must not lose sight of the fact that the true pursuits of science (and good engineering) are the examination and manipulation of both old and new data in both old and new ways.  $^{12}$ 

#### ACKNOWLEDGEMENT

The author would like to thank Daniel Analytical Services Corporation for permission to publish Figure 2.

Jelks, E.G. & Schmitt, R.L., <u>Trick Taking Potential</u>, Normal Illinois, Jett Publishing Company, 1974.

de Mille, R. & Hirschberg, M.A., Multivariate Analysis of Concepts Induced from Bounded Predictive Value-Statement, Multivariate Behaviorial Research Vol. 7, January 1972, pp 41-66.

 $<sup>^{12}</sup>$  Hirschberg, M.A., in reference 5.

#### REFERENCES

- 1. Date, C.J., An Introduction to Data Base Systems, Reading Mass., Addison-Wesley, 1976.
- Daniel Analytical Services Corporation, User Reference Manual for "The CREATABASE Module" of An Integrated Data Base Analysis System: Level U-4A, Houston, Texas, August 1976.
- 3. Daniel Analytical Services Corporation, "Primer" for "The CREATABASE Module" of An Integrated Data Base Analysis System: Level U-4A, Houston, Texas, August 1976.
- 4. Daniel Analytical Services Corporation, An Illustrative Check Deck for "The CREATABASE Module" of An Integrated Data Base Analysis System: Level U-4A, Houston, Texas, August 1976.
- 5. Goldberg, S.A., Final Report of the EDMPAS Committee, Edgewood Arsenal, Aberdeen Proving Ground, Maryland 21010, September 1975.
- 6. SIPPL, C.J., & SIPPL, C.P., Computer Dictionary and Handbook, New York, Bobbs-Merrill, 1972.
- 7. Doyle, L.B., <u>Information Retrieval and Processing</u>, Los Angeles, Melville, 1975.
- 8. Pierce, P.W. (ed.), Benchmark Data Base Evaluation of Vendor Developed Data Base Management Systems for DARCOM Data Processing Community, DARCOM-ALMSA, 1976.
- 9. Yarborough, B.H., Methodology Investigation Development of a Data Storage and Retrieval System, Programs, and Techniques for ADP Reporting of Repetitive Tests, MTD, Aberdeen Proving Ground, Maryland, AD B007378L, April 1975.
- 10. Jelks, E.G. & Schmitt, R.L., <u>Trick Taking Potential</u>, Normal Illinois, Jett Publishing Company, 1974.
- 11. de Mille, R. & Hirschberg, M.A., Multivariate Analysis of Concepts Induced from Bounded Predictive Value-Statement, Multivariate Behaviorial Research Vol. 7, January 1972, pp 41-66.
- 12. Hirschberg, M.A., in reference 5.

 $\label{eq:APPENDIX} \mbox{ I }$  A PORTION OF THE DATA BASE

#### PARAMETER F=300,G=35 \*

DEFINE DESCRIPTORS
ITM1(1 FROM 0 TO 14000)
ITM2(2=1)
ITM3(3=1)
ITM4(4=1)
ITM5(5=1)
ITM6(6=1)
ITM7(7=1)
ITM8(8=1)
ITM9(9=1)
ITM10(10=1)

#### WRITE DATA FILE\*

DAT	3	TIME	CORE	BUFFER	S RE	CORDS		
0917	76	171108	36K		1	0		
USER	ALI	LOCATION	AND	ACTUALLY	USED	VALUES		
	A	В		C	D	E	F	G
	50	500		50	500	50	300	35
	10	0		1	0	10	141	1
	н	I		J	K	L		
	9	50		500	200	1000		

## COMPILE AND PRINT FROM CARDS\*

# \*\*\*\*\*\*\*\*\*\*\*

000448,000429,000442,000397,000441,000378,000351,000333,000367,000318 \*
000304,000284,000277,000265,000295,000259,000234,000238,000214,000223 \*
000246,000198,000202,000211,000171,000207,000206,000174,000170,000180 \*
000165,000150,000158,000159,000146,000141,000157,000135,000114,000153 \*
000131,000128,000113,000150,000123,000122,000125,000115,000118,000115 \*
000125,000109,000126,000128,000125,000127,000120,000131,000118,000108 \*
000126,000108,000121,000113,000106,000091,000128,000108,000102,000102 \*

```
000104,000100,000091,000100,000110,000099,000091,000111,000092,000093 *
000078,000099,000106,000088,000084,000091,000091,000079,000092,000095 *
000086,000090,000087,000068,000080,000088,000101,000084,000090,000077 *
000091,000074,000082,000075,000077,000096,000084,000078,000080,000079 *
000092,000116,000105,000078,000090,000097,000087,000104,000081,000088 *
000095,000064,000100,000083,000078,000081,000108,000092,000099,000098 *
000090,000092,000084,000086,000101,000100,000108,000095,000091,000093 *
000081,000082,000077,000091,000090,000091,000094,000117,000099 *
000103,000098,000090,000076,000103,000080,000111,000103,000115,000114 *
000106,000118,000107,000115,000110,000119,000102,000102,000119,000113 *
000112,000097,000113,000097,000126,000105,000110,000113,000099,000121 *
000104,000095,000106,000111,000095,000100,000097,000108,000092,000093 *
000105,000099,000095,000104,000090,000089,000099,000100,000093,000086 *
000084,000103,000086,000083,000093,000078,000084,000083,000069,000094 *
000091,000081,000076,000088,000079,000085,000067,000072,000079,000076 *
000074,000075,000078,000079,000074,000082,000083,000076,000072,000062 *
000082,000075,000065,000073,000064,000046,000075,000053,000062,000055 *
000065,000062,000050,000073,000058,000060,000052,000048,000064,000059 *
000049,000049,000067,000052,000066,000047,000066,000051,000044,000061 *
000045,000046,000045,000049,000041,000061,000071,000053,000056,000058 *
000047,000049,000039,000051,000050,000039,000032,000040,000035,000038 *
000032,000038,000038,000041,000034,000031,000044,000023,000036,000030 *
000030,000027,000024,000024,000030,000021,000026,000034,000026,000023 *
000036,000027,000024,000017,000021,000032,000031,000027,000020,000024 *
000026,000024,000015,000031,000019,000017,000024,000011,000021,000027 *
000016,000019,000014,000021,000020,000017,000015,000019,000020,000026 *
000020,000017,000014,000022,000026,000018,000022,000026,000024,000023 *
```

```
000015,000014,000017,000023,000024,000024,000021,000017,000020,000020 *
000018,000011,000016,000021,000015,000018,000008,000013,000013,000014 *
000020,000020,000012,000011,000031,000021,000019,000022,000018,000022 *
000021,000022,000022,000016,000022,000020,000016,000023,000009,000019 *
000015,000009,000020,000016,000014,000016,000007,000014,000015,000014 *
000018,000016,000010,000016,000020,000012,000018,000013,000015,000016 *
000017,000015,000023,000014,000011,000012,000017,000017,000018,000016 *
000010,000016,000015,000011,000017,000016,000014,000009,000016,000012 *
000019,000015,000006,000013,000020,000019,000015,000011,000019,000013 *
000015,000011,000017,000019,000015,000016,000018,000021,000016,000017 *
000017,000012,000018,000006,000011,000011,000011,000010,000016,000008 *
000016,000014,000013,000020,000015,000011,000017,000006,000015,000008 *
000010,000010,000014,000010,000012,000012,000014,000006,000019,000010 *
000013,000009,000011,000010,000007,000007,000007,000012,000008,000008 *
000009,000007,000010,000011,000015,000012,000008,000012,000007,000009 *
000009,000011,000013,000009,000012,000001,000006,000005,000013,000011 *
000009,000006,000010,000008,000006,000012,000005,000010,000008,000013 *
000004,000010,000005,000005,000012,000007,000010,000009,000008,000009 *
000004,000008,000006,000006,000005,000004,000010,000014,000008,000007 *
000012,000004,000004,000007,000011,000008,000002,000008,000010,000008 *
000007,000009,000010,000006,000007,000007,000010,000008,000010,000005 *
000003,000006,000007,000007,000003,000011,000009,000008,000009,000006 *
000004,000005,000008,000008,000003,000011,000005,000002,000009,00006 *
000007.000010.000008.000007.000009.000008.000007.000009.000011.000009 *
000009,000007,000007,000010,000007,000013,000007,000013,000007,000008 *
000007,000008,000007,000010,000007,000004,000007,000004,000010,000010 *
```

000006,000007,000012,000006,000002,000001,000006,000006,000007,000008 \*
000008,000002,000005,000008,000012,000011,000004,000010,000007,000002 \*
000004,000006,000004,000002,000010,000000,000004,000003,000005,000001 \*
000005,000007,000007,000005,000002,000005,000003,000001,000009,000004 \*
000003,000004,000004,000004,000002,000003,000005,000003,000005,000001 \*
000005,000005,000004,000004,000002,000003,000005,000003,000005,000001 \*
000005,000005,000004,000004,000002,000003,000005,000006,000002 \*

4 • <\*

PEDF

1056 RECORDS WERE COMPILED AS SPECIFIED

DEFINE MORE DESCRIPTORS

SEQNO(11 FROM 1 TO 2000)

BEGNO(12 FROM 0 TO 10000)

ENDNO(13=12)

NAMES(14 CODE OUT 4 AUG.PHA CAL 20 JUL.SHOT 21.SHOT 8.

SHOT 3 C/T BALL 2.SHOT 4 BALL 2.SHOT 6.SHOT 22.SHOT 2 BALL 2.SHOT 9.

SHOT 30.SHOT 31.SHOT 32.SHOT 33.SHOT 34.SHOT 36.SHOT 37.

SHOT 38.SHOT 39.SHOT 40.SHOT 41.SHOT 42.SHOT 43.SHOT 44.SHOT 45.

SHOT 46.SHOT 47.SHOT 48. SHOT 49.SHOT 50.SHOT 51)

TOTAL EXPOSURE(15 FROM 0 TO 1000000)

SEQUENCE 11\*

CORRECTION (BEGNO.58) (ENDNO.762)
(NAMES. OUT 4 AUG)
(TOTAL EXPOSURE.38606) (TOTAL TIME.23122)
WITH SEQNO.FROM 1 TO 72\*
72 RECORDS WERE CORRECTED AS REQUESTED

CORRECTION (BEGNO.5) (ENDNO.340)
(NAMES.PHA CAL 20 JUL)
(TOTAL EXPOSURE.10530) (TOTAL TIME. 338)
WITH SEQNO.FROM 73 TO 106\*
34 RECORDS WERE CORRECTED AS REQUESTED

CORRECTION (BEGNO.1) (ENDNO.252)

(NAMES.SHOT 21)

(TOTAL EXPOSURE.8305) (TOTAL TIME.0)

WITH SEGNO.FROM 107 TO 132\*

26 RECORDS WERE CORRECTED AS REQUESTED

WRITE DATA FILE\*

DATE	Ε	TIME	CORE	BUFFER	S RE	CORDS		
0917	76	171108	36K		1	1056		
USER	ALL	OCATION	AND A	CTUALLY	USED	VALUES		
	A	В		C	D	E	F	G
	50	500		50	500	50	300	35
	16	31		5	35	16	225	30
	н	I		J	K	L		
	9	50	5	00	200	1000		
	EN	ID						

**aFIN** 

# DISTRIBUTION LIST

No. of		No. of	
Copies	Organization	Copies	Organization
12	Commander Defense Documentation Center ATTN: DDC-TCA Cameron Station Alexandria, VA 22314	2	Commander US Army Mobility Equipment Research & Development Command ATTN: Tech Docu Cen, Bldg. 315 DRSME-RZT
1	Commander US Army Materiel Development and Readiness Command ATTN: DRCDMA-ST 5001 Eisenhower Avenue Alexandria, VA 22333	1	Fort Belvoir, VA 22060  Commander US Army Armament Materiel Readiness Command Rock Island, IL 61202  Commander
1	Commander US Army Aviation Systems Command ATTN: DRSAV-E 12th and Spruce Streets St. Louis, MO 63166	1	US Army Frankford Arsenal ATTN: SARFA-FCV, S. Goodman Philadelphia, PA 19137 Commander US Army Harry Diamond Labs ATTN: DRXDO-TI
1	Director US Army Air Mobility Research and Development Laboratory Ames Research Center Moffett Field, CA 94035	1	2800 Powder Mill Road Adelphi, MD 20783 Commander US Army Combined Arms Combat
2	Commander US Army Electronics Command ATTN: DRSEL-RD DRCPM-TDS Fort Monmouth, NJ 07703	1	Development Activity ATTN: ATCAIC-IC Fort Leavenworth, KS 66027  Director US Army TRADOC Systems
2	Commander US Army Missile Research and Development Command ATTN: DRDMI-R, R. Epps, Jr. Redstone Arsenal, AL 35809	1	Analysis Activity ATTN: ATAA-SA White Sands Missile Range NM 88002  Director US Army Concepts Analysis Agency
1	Commander US Army Tank Automotive Development Command ATTN: DRDTA-RWL		ATTN: Mr. A. Bayse 8120 Woodmont Avenue Bethesda, MD 20014
	Warren, MI 48090	1	Office of Technology Assessment United States Congress ATTN: Mr. J. Coates Washington, DC 20510

#### DISTRIBUTION LIST

# No. of Copies

## Organization

Office of Technology Assessment
United States Congress
ATTN: Mr. Robert Niblock
Oceans Program
Washington, DC 20510

American Cyanamid
ATTN: Mr. H. Steinborn
Dr. Hunnicut
Berdan Avenue
Wayne, NJ 07470

1 Gulf Universities Research
 Consortium
ATTN: Dr. J. Sharp
16821 Buccaneer Lane
Clear Lake City
Houston, TX 77058

## Aberdeen Proving Ground

Marine Corps Ln Ofc Dir, USAMSAA

ATTN: Dr. Sperrazza
Mr. Bain
Mr. Bannon
Dr. Streilen
Mr. Itten
Mr. Belbot
Mr. Maki

Cdr, USATECOM ATTN: DRSTE-CG

Cdr, USAEA

ATTN: SAREA-MI, S. Goldberg

Dir, USAMTD

ATTN: STEAP-MT-M

Mr. B. Yarborough